



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 1 of 9

Restoration Finish Plaster

SECTION 1: Identification

Product identifier

Product name: Restoration Finish Plaster

Synonyms: Slaked lime putty, veneer finish plaster

Product code: FP-0002

Recommended use of the product and restriction on use

Relevant identified uses: Construction Plaster

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

Master of Plaster Finishing Systems Inc

PO Box 766

Irmo, SC 29063

1-803-403-5252

Emergency telephone number:

United States

Master of Plaster Finishing Systems Inc

1-803-403-5252

SECTION 2: Hazard(s) identification

GHS classification: Not a hazardous substance or mixture

Label elements

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|---------------------------|-------------------|----------|
| CAS number: 12001-26-2 | Mica | <3 |
| CAS number: 1317-65-3 | Calcium carbonate | <25 |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 2 of 9

Restoration Finish Plaster

| | | |
|---------------------------|---------------------|-----|
| CAS number: 12174-11-7 | Attapulgate | <3 |
| CAS number: 39445-23-3 | Dolomitic hydroxide | >30 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Ensure that medical personnel are aware of the matierla(s) involved

After inhalation:

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Under normal conditions of intended use, this product is not expected to be a health risk

Delayed symptoms and effects:

Under normal conditions of intended use, this product is not expected to be a health risk

Immediate medical attention and special treatment

Specific treatment:

Provide general supportive measures and treat symptomatically

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not applicable

Specific hazards during fire-fighting:

Not a fire hazard. Use standard firefighting procedures and consider the hazards of other involved materials

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

No unusual fire or explosion hazards noted

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 3 of 9

Restoration Finish Plaster

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

See Section 8 of the SDS for Person Protective Equipment

Environmental precautions:

Avoid discharge to drains, sewers and other water systems

Methods and material for containment and cleaning up:

Large Spills: Scoop spilled materials and recover as much of the product as possible for use. If spillage is unrecoverable dispose according to local, state and federal regulations

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Wash hands after handling. Observe good industrial hygiene practices. Use proper lifting techniques.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place. Store in a closed container. Keep containers closed when not in use. Filled 5 gallon pails of plaster may be stacked a maximum of 3 layers high on a standard 48 x 48 pallet (12 pails per layer, 3 layers high). Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|-------------------|------------|---|
| United States (OSHA) | Calcium carbonate | 1317-65-3 | OSHA PEL TWA 15 mg/m ³ (Total dust) |
| | Calcium carbonate | 1317-65-3 | OSHA PEL TWA 5 mg/m ³ (Respirable fraction) |
| | Mica | 12001-26-2 | OSHA PEL 8-hr Time-Weighted Avg: 20 mppcf (millions of particles per cubic foot of air). |
| ACGIH | Calcium carbonate | 1317-65-3 | ACGIH TLV TWA 10.0 mg/m ³ ((Inhalable particulate matter containing no asbestos and < 1% crystalline silica) |
| | Mica | 12001-26-2 | ACGIH TLV 8 hr Time Weighted Avg (TWA): 3 mg/m ³ (respirable fraction) |
| NIOSH | Mica | 12001-26-2 | NIOSH Recommended Exposure Limit: 10 Hr Time-Weighted Avg: 3 mg/m ³ (respirable fraction). |
| | Mica | 12001-26-2 | NIOSH IDLH: 1500 mg/m ³ |

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 4 of 9

Restoration Finish Plaster

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Not applicable.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin contact use suitable protective gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Always observe good personal hygiene measures such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|----------------------------------|
| Appearance | Semi-solid |
| Odor | Low to no odor |
| Odor threshold | Not available. |
| pH | 10 - 12 |
| Melting point/freezing point | Not available. |
| Initial boiling point/range | 100°C (212°F) |
| Flash point (closed cup) | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper flammability/explosive limit | Not available. |
| Lower flammability/explosive limit | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Density | Not available. |
| Relative density | Not available. |
| Solubilities | Soluble in water. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto/Self-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Dynamic viscosity | Not available. |
| Kinematic viscosity | Not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 5 of 9

Restoration Finish Plaster

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

| Route | Result |
|------------|--|
| Oral | Not expected to be a hazard under normal conditions of intended use. |
| Dermal | Not expected to be a hazard under normal conditions of intended use. |
| Inhalation | Not expected to be a hazard under normal conditions of intended use. |

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

Prolonged or repeated skin contact may cause drying, cracking or irritation.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

Direct contact with eyes may cause temporary irritation.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

Not a respiratory sensitizer.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

| Species | Result |
|---------|--------|
|---------|--------|

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 6 of 9

Restoration Finish Plaster

| Species | Result |
|---------|--|
| | This product is not expected to increase the risk of cancer. |

Substance data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|-------------|----------------|
| Attapulgite | Group 2B |

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Data does not suggest that this product or any components present are mutagenic or genotoxic.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Not expected to be a reproductive hazard.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available., but none expected.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

Not classified.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Due to the physical form of the product it is not an aspiration hazard.

Substance data: No data available.

Information on likely routes of exposure:

Ingestion may cause irritation and stomach discomfort.

Skin contact: Under normal conditions of intended use this product does not pose a skin hazard.

Eye contact: Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics:

Not expected to be a hazard under normal conditions of intended use.

Other information:

No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

| | |
|------|--|
| Fish | The product components are not classified as environmentally hazardous. However, this does not exclude the possibility the large or frequent spills can have harmful or damaging effects on the environment. |
|------|--|

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 7 of 9

Restoration Finish Plaster

Substance data: No data available.

Chronic (long-term) toxicity

Product data:

| | |
|------|--|
| Fish | The product components are not classied as enviornmentally hazardous. However, this does not exclude the possibility the large or frequent spills can have harmful or damaging effects on the enviornment. |
|------|--|

Substance data: No data available.

Persistence and degradability

Product data:

No data available.

Substance data: No data available.

Bioaccumulative potential

Product data:

Bioaccumulation is not expected.

Substance data: No data available.

Mobility in soil

Product data:

No data available.

Substance data: No data available.

Other adverse effects:

None expected.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| | |
|--------------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| | |
|--------------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| | |
|------------------|---------------|
| UN number | Not regulated |
|------------------|---------------|

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 8 of 9

Restoration Finish Plaster

| | |
|--------------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

| | |
|--|------|
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | |
| Bulk Name | None |
| Ship type | None |
| Pollution category | None |

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

| | | |
|------------|---------------------|------------|
| 1317-65-3 | Calcium carbonate | Listed |
| 12174-11-7 | Attapulgate | Not Listed |
| 39445-23-3 | Dolomitic hydroxide | Listed |
| 12001-26-2 | Mica | Not Listed |

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not regulated.

SARA Section 311/312 hazards:

| | | | | |
|-------|---------|------|----------|----------|
| Acute | Chronic | Fire | Pressure | Reactive |
| No | Yes | No | No | No |

SARA Section 302 extremely hazardous substances: Not listed.

SARA Section 313 toxic chemicals: Not regulated.

CERCLA: Not listed.

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not regulated.

Massachusetts Right to Know: Not determined.

New Jersey Right to Know: Not determined.

New York Right to Know: Not determined.

Pennsylvania Right to Know: Not determined.

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

| | |
|------------|-------------|
| 12174-11-7 | Attapulgate |
|------------|-------------|

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 08.22.2017

Page 9 of 9

Restoration Finish Plaster

considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial preparation date: 08.22.2017

End of Safety Data Sheet